

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



# LISTING SERVICE

**LISTING No.** 7271-0047:111

Page 1 of 1

**CATEGORY:** Ionization Smoke Detector

**LISTEE:** Rixson-Firemark, 1902 Airport Rd., Monroe, NC 28110  
Contact: Jeff Trull (704) 283-2101 FAX (704) 283-0789

**DESIGN:** Model *SMOK-CHEK VI* detector module. Refer to listee's data sheet for detailed product description and operational considerations.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, and UL label.

**APPROVAL:** Listed as smoke detector module for use only with Models *SMOK-CHEK VI 6PUSH/6PULL* door closers/holders (CSFM Listing No. 0047:112).

**XLF:** 7271-0257:107

\*Rev. 05-21-2004



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued:** **JUNE 2, 2008**

*Listing Expires June 30, 2009*

**Authorized By:** **BEN HO, Chief**  
*Fire Engineering Division*



# LISTING SERVICE

**LISTING No.** 3550-0047:110

Page 1 of 1

**CATEGORY:** Door Closers/holders

**LISTEE:** Rixson-Firemark, 1902 Airport Rd., Monroe, NC 28110  
Contact: Jeff Trull (704) 283-2101 FAX (704) 283-0789

**DESIGN:** Model FM993. Refer to listee's data sheet for detailed product description and operational considerations.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model designation and UL label.

**APPROVAL:** Listed as a door holder/closer.

\*Rev. 05-21-2004



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 2, 2008**

*Listing Expires June 30, 2009*

Authorized By: **BEN HO, Chief**  
*Fire Engineering Division*

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



# LISTING SERVICE

**LISTING No.** 3725-0047:108

Page 1 of 1

**CATEGORY:** Door Hardware

**LISTEE:** Rixson-Firemark, 1902 Airport Rd., Monroe, NC 28110  
Contact: Jeff Trull (704) 283-2101 FAX (704) 283-0789

**DESIGN:** Models 147, 180, 219, 280, 319, 380, 419, 480, A19, A180, M19, M190, L147, L180, L319, L380, and ML19 bronze pivots. Refer to listee's data sheet for detailed product description and operational considerations.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number and UL label.

**APPROVAL:** Listed as 20-minute fire-rated door pivots.

**NOTE:** Formerly 4135-0047:108

\*Rev. 05-21-2004



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 2, 2008**

*Listing Expires June 30, 2009*

Authorized By: **BEN HO, Chief**  
*Fire Engineering Division*



# LISTING SERVICE

**LISTING No.** 3550-0047:015 Page 1 of 1

**CATEGORY:** Door Closers/holders

**LISTEE:** Rixson-Firemark, 1902 Airport Rd., Monroe, NC 28110  
Contact: Jeff Trull (704) 283-2101 FAX (704) 283-0789

**DESIGN:** SMOK-CHEK V series. See listee's data sheets for detailed product description and operational considerations.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, electrical rating and UL label.

**APPROVAL:** Listed as fire-rated door closers/holders.

\*Rev. 05-21-2004



---

This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued:** **JUNE 2, 2008**

*Listing Expires June 30, 2009*

**Authorized By:** **BEN HO, Chief**  
*Fire Engineering Division*



# LISTING SERVICE

**LISTING No.** 3550-0047:013

Page 1 of 1

**CATEGORY:** Door Closers/holders

**LISTEE:** Rixson-Firemark, 1902 Airport Rd., Monroe, NC 28110  
Contact: Jeff Trull (704) 283-2101 FAX (704) 283-0789

**DESIGN:** Model FM972S, FM972H, FM972U. Designed for special door applications requiring positive latch, hold-open and automatic release to close by a remote smoke detector switch, ionization fire detector, or sprinkler system. Intended for use for heavy swing, overhead rolling, vertical or horizontal sliding, guillotine or service counter and conveyor opening doors; fire damper; and self-closing windows. See listee's data sheet for detailed product description and operational considerations.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, electrical rating and UL label.

**APPROVAL:** Listed as fire-rated door closer/holder.

\*Rev. 05-21-2004



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 2, 2008**

*Listing Expires **June 30, 2009***

Authorized By: **BEN HO, Chief**  
*Fire Engineering Division*



# LISTING SERVICE

**LISTING No.** 3550-0047:002

Page 1 of 1

**CATEGORY:** Door Closers/holders

**LISTEE:** Rixson-Firemark, 1902 Airport Rd., Monroe, NC 28110  
Contact: Jeff Trull (704) 283-2101 FAX (704) 283-0789

**DESIGN:** Model F27 pocket door closer and Model FM51 floor type closer. Model F27 is factory adjusted and sealed unit that provides 12 lbs. pressure against opening measured at normal knob location on 3' x 7' door and 15-16 lbs. on a 4' x 7' door. Model FM51 is factory adjusted to provide a 10 lbs. closing force. It can be adjusted to provide hold-open force of 17-18 lbs. Refer to listee's data sheet for detailed product description and operational considerations.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number and UL label.

**APPROVAL:** Listed as a fire-rated door closer/holder. May be used without a latching device only on 1/3-hour fire-rated doors. Model FM51 must be used in conjunction with separately listed compatible releasing devices.

\*Rev. 05-21-2004



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued:** **JUNE 2, 2008**

**Listing Expires June 30, 2009**

**Authorized By:** **BEN HO, Chief**  
*Fire Engineering Division*



# LISTING SERVICE

**LISTING No.** 3550-0047:001

Page 1 of 1

**CATEGORY:** Door Closers/ Holders

**LISTEE:** Rixson-Firemark, 1902 Airport Rd., Monroe, NC 28110  
Contact: Jeff Trull (704) 283-2101 FAX (704) 283-0789

**DESIGN:** Models FM980, FM981, FM990, FM991, FM996 through FM999. Electromagnetic. Refer to listee's data sheets for detailed product description and operational considerations.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, electrical rating and UL label.

**APPROVAL:** Listed as an electromagnetic door holder for use on fire-rated doors when installed in conjunction with separately listed smoke detection devices approved for releasing device service. Model FM991 for use in hazardous location Class I, Division 2; Class II, Division 2, Groups F & G; and Class III, Divisions 1 & 2.

\*Rev. 05-21-2004



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued:** **JUNE 2, 2008**

*Listing Expires June 30, 2009*

**Authorized By:** **BEN HO, Chief**  
*Fire Engineering Division*

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



# LISTING SERVICE

**LISTING No.** 3550-0047:112

Page 1 of 1

**CATEGORY:** Door Closers/holders

**LISTEE:** Rixson-Firemark, 1902 Airport Rd., Monroe, NC 28110  
Contact: Jeff Trull (704) 283-2101 FAX (704) 283-0789

**DESIGN:** Models 4PUSH/4PULL and 6PUSH/6PULL SMOK-CHEK VI door closers/holders. Model 6PUSH/6PULL employs a separately listed integral smoke detector module (CSFM Listing No. 0047:111). Refer to listee's data sheet for detailed product description and operational considerations.

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, electrical rating and UL label.

**APPROVAL:** Listed as door closers/holders with or without an integral smoke detector. The integral smoke detector module is approved for use as a releasing device only. When the detector is used, a separately listed compatible control unit must also be used.

**XLF:** 3550-0257:108

\*Rev. 05-21-2004



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 2, 2008**

*Listing Expires **June 30, 2009***

Authorized By: **BEN HO, Chief**  
*Fire Engineering Division*